# SEQUENCE LISTING

# RECEIVED

JUL 3 1 2001 TECH CENTER 1600/2900

```
<110> Nisson, Paul
      Jesse, Joel
      Li, Wu-bo
```

<120> Method for Isolating and Recovering Target DNA or RNA Molecules Having a Desired Nucleotide Sequence

<130> 0942.4800002/RWE/ALS

```
<140> US 09/829,066
```

<141> 2001-04-10

<150> US 09/103,577

<151> 1998-06-24

<150> US 60/050,729 <151> 1997-06-25

<160> 12

<170> PatentIn version 3.0

```
<210> 1
```

<211> 23

<212> DNA

<213> Artificial Sequence

## <220>

<223> degenerate oligonucleotide

## <220>

<221> misc\_feature

<222> 3

<223> where n is g, t, a, or c

#### <220>

<221> misc\_feature

<222> 12

<223> where n is g, t, a, or c

#### <220>

<221> misc\_feature

<222> 21

<223> where n is g, t, a, or c

<400> 1

gtn tgy gay ggn tty cay gtn gg

<210> 2

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> degenerate oligonucleotide

```
<220>
<221> misc_feature
<222> 3
<223> where n is dK
<220>
<221> misc_feature
<222> 6
<223> where n is dP
<220>
<221> misc_feature
<222> 9
<223> where n is dP
<220>
<221> misc_feature
<222> 12
<223> where n is dK
<220>
<221> misc_feature
<222> 15
<223> where n is dP
<220>
<221> misc_feature
<222> 18
<223> where n is dP
<220>
<221> misc_feature
<222> 21
<223> where n is dK
<400> 2
gtn tgn gan ggn ttn can gtn gg
<210> 3
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> degenerate oligonucleotide
<220>
<221> misc_feature
<222> 3
<223> where n is dK
<220>
<221> misc_feature
<222> 6
<223> where n is dP
<220>
<221> misc_feature
<222> 9
<223> where n is dP
```

<220>

```
<221> misc_feature
<222> 12
<223> where n is dK
<220>
<221> misc_feature
<222> 15
<223> where n is dP
<220>
<221> misc_feature
<222> 18
<223> where n is dP
<220>
<221> misc_feature
<222> 21
<223> where n is dP
<400> 3
gtn tgn gan ggn ttn can gtn gg
<210> 4
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> degenerate oligonucleotide
<220>
<221> misc_feature
<222> 3
<223> where n is dK
<220>
<221> misc_feature
<222> 6
 <223> where n is dP
 <220>
 <221> misc_feature
 <222> 9
 <223> where n is dP
 <220>
 <221> misc_feature
 <222> 12
 <223> where n is dP
 <220>
 <221> misc_feature
 <222> 15
 <223> where n is dP
 <220>
 <221> misc_feature
 <222> 18
 <223> where n is dP
 <220>
 <221> misc_feature
```

```
<222> 21
<223> where n is dK
<400> 4
gtn tgn gan ggn ttn can gtn gg
<210> 5
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> degenerate oligonucleotide
<220>
<221> misc_feature
<222> 3
<223> where n is dP
<220>
<221> misc_feature
<222> 6
<223> where n is dP
<220>
<221> misc_feature
<222> 9
<223> where n is dP
<220>
<221> misc_feature
<222> 12
<223> where n is dK
<220>
<221> misc_feature
<222> 15
<223> where n is dP
<220>
<221> misc_feature
<222> 18
<223> where n is dP
<220>
<221> misc_feature
<222> 21
<223> where n is dK
<400> 5
gtn tgn gan ggn ttn can gtn gg
<210> 6
<211> 23
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> degenerate oligonucleotide
```

23

```
<220>
<221> misc_feature
<222> 3
<223> where n is dP
<220>
<221> misc_feature
<222> 6
<223> where n is dP
<220>
<221> misc_feature
<222> 9
<223> where n is dP
<220>
<221> misc_feature
<222> 12
<223> where n is dK
<220>
<221> misc_feature
<222> 15
<223> where n is dP
<220>
<221> misc_feature
<222> 18
<223> where n is dP
<220>
<221> misc_feature
 <222> 21
 <223> where n is dP
 <400> 6
 gtn tgn gan ggn ttn can gtn gg
 <210> 7
 <211> 23
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> degenerate oligonucleotide
 <220>
 <221> misc_feature
 <222> 3
 <223> where n is dK
 <220>
 <221> misc_feature
 <222> 6
 <223> where n is dP
 <220>
 <221> misc_feature
 <222> 9
 <223> where n is dP
```

<220>

```
<221> misc_feature
<222> 12
<223> where n is dP
<220>
<221> misc_feature
<222> 15
<223> where n is dP
<220>
<221> misc_feature
<222> 18
<223> where n is dP
<220>
<221> misc_feature
<222> 21
<223> where n is dP
<400> 7
gtn tgn gan ggn ttn can gtn gg
<210> 8
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> degenerate oligonucleotide
<220>
<221> misc_feature
<222> 3
<223> where n is dP
<220>
<221> misc_feature
<222> 6
<223> where n is dP
<220>
<221> misc_feature
<222> 9
<223> where n is dP
<220>
 <221> misc_feature
 <222> 12
 <223> where n is dP
<220>
 <221> misc_feature
 <222> 15
 <223> where n is dP
 <220>
 <221> misc_feature
 <222> 18
 <223> where n is dP
 <220>
 <221> misc_feature
```

```
<222> 21
<223> where n is dK
<400> 8
                                                                           23
gtn tgn gan ggn ttn can gtn gg
<210> 9
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> degenerate oligonucleotide
<220>
<221> misc_feature
<222> 3
<223> where n is dP
<220>
<221> misc_feature
<222> 6
<223> where n is dP
<220>
<221> misc_feature
<222> 9
<223> where n is dP
<220>
<221> misc_feature
<222> 12
<223> where n is dP
<220>
<221> misc_feature
<222> 15
<223> where n is dP
<220>
<221> misc_feature
<222> 18
<223> where n is dP
<220>
<221> misc_feature
 <222> 21
 <223> where n is dP
 <400> 9
                                                                            23
 gtn tgn gan ggn ttn can gtn gg
 <210> 10
 <211> 25
 <212> DNA
 <213> Artificial Sequence
 <400> 10
                                                                          25
 gac cgt tca gct gga tat tac ggc c
```

```
<210> 11
<211> 13
<212> DNA
<213> Artificial Sequence
<220>
<223> consensus sequence for initiation
      of translation by eukaryotic ribosomes
<400> 11
gcc gcc rcc aug g
<210> 12
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> degenerate oligonucleotide
<220>
<221> misc_feature
<222> 3
<223> where n is dP or dK
<220>
<221> misc_feature
<222> 6
<223> where n is dP
<220>
<221> misc_feature
<222> 9
<223> where n is dP
<220>
<221> misc_feature
<222> 12
<223> where n is dK or dP
<220>
<221> misc_feature
<222> 15
<223> where n is dP
<220>
<221> misc_feature
<222> 18
<223> where n is dP
<220>
<221> misc_feature
<222> 21
<223> where n is dK or dP
<400> 12
```

gtn tgn gan ggn ttn can gtn gg

23